

**HEDIS Trends in Medi-Cal
(HEDIS 2015-2017 MY)**

Acronym	HEDIS Measures	HEDIS 2015 (CY 2014)	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	Rate Difference (CY 2015-2016)	Percentile Ranking*
Prevention and Screening						
ABA	Adult BMI Assessment	90.8%	90.1%	93.9%	3.8	90 th
Comprehensive Diabetes Care						
CDC-HT	Comprehensive Diabetes Care – HbA1c Testing	83.5%	86.0%	87.8%	1.8	50 th
CDC-H8	Comprehensive Diabetes Care - HbA1c Control <8%	46.0%	47.1%	48.7%	1.6	25 th
CDC-H9	Comprehensive Diabetes Care - Poor HbA1c Control >9% (lower rate is better)	41.8%	41.6%	40.0%	-1.6	50 th
CDC-E	Comprehensive Diabetes Care - Eye Exams	49.7%	58.0%	54.7%	-3.3	50 th
CDC-N	Comprehensive Diabetes Care - Medical Attention for Nephropathy	86.6%	94.4%	92.2%	-2.2	75 th
CDC-BP	Comprehensive Diabetes Care - Blood Pressure Control (<140/90)	65.1%	58.6%	60.0%	1.4	25 th
Cardiovascular Conditions						
CBP	Controlling High Blood Pressure - Total	66.8%	68.3%	67.8%	-0.5	75 th

*Percentile Ranking from NCQA Quality Compass
 NR – Not reportable
 NQ – Not required to report
 NA – Not available

HEDIS Trends in Medi-Cal (HEDIS 2015-2017 MY)

Acronym	HEDIS Measures	HEDIS 2015 (CY 2014)	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	Rate Difference (CY 2015-2016)	Percentile Ranking*
PBH	Persistence of Beta Blocker Treatment After Heart Attack	77.6%	NQ	77.6%	NA	NA
Pediatric Health						
W34	Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life	69.5%	71.4%	78.5%	7.1	50 th
WCC-BMI	Weight Assessment & Counseling for Nutrition& Physical for Children and Adolescents (BMI)	80.2%	78.9%	78.2%	-0.7	50 th
WCC--N	Weight Assessment & Counseling for Nutrition& Physical for Children and Adolescents (Nutrition)	80.2%	76.8%	77.7%	0.9	75 th
WCC-PA	Weight Assessment & Counseling for Nutrition& Physical for Children and Adolescents (Physical Activity)	69.4%	68.5%	68.0%	-0.5	75 th
CIS-3	Childhood Immunization Status - Combo 3	77.7%	73.6%	71.5%	-2.1	25 th
IMA-1	Immunizations for Adolescents – Combo 1	77.0%	74.6%	75.1		25 th
IMA-2	Immunizations for Adolescents – Combo 1	NA	NA	28.3%	NA	75 th

*Percentile Ranking from NCQA Quality Compass
 NR – Not reportable
 NQ – Not required to report
 NA – Not available

**HEDIS Trends in Medi-Cal
(HEDIS 2015-2017 MY)**

Acronym	HEDIS Measures	HEDIS 2015 (CY 2014)	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	Rate Difference (CY 2015-2016)	Percentile Ranking*
ADD	Follow-Up for Children Prescribed ADHD Medication-initiation	29.8%	31.1%	32.8%	1.7	<25 th
ADD	Follow-Up for Children Prescribed ADHD Medication - Continuation and Maintenance	32.8%	36.4%	38.0%	1.6	<25 th
Respiratory Conditions						
CWP	Appropriate Testing for Children with Pharyngitis	25.5%	25.0%	27.5%	2.5	<25 th
URI	Appropriate Treatment for Children with Upper Respiratory Infections	87.5%	87.8%	88.6%	0.8	25 th
AAB	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	29.7%	29.7%	31.5%	1.8	50 th
MMA-75	Medication Management for People with Asthma-75% Compliance Total	24.9%	32.6%	33.5%	0.9	50 th
PCE	Pharmacotherapy Management of COPD Exacerbation Systemic Corticosteroid	60.4%	62.0%	66.3%	4.3	25 th

*Percentile Ranking from NCQA Quality Compass

NR – Not reportable

NQ – Not required to report

NA – Not available

**HEDIS Trends in Medi-Cal
(HEDIS 2015-2017 MY)**

Acronym	HEDIS Measures	HEDIS 2015 (CY 2014)	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	Rate Difference (CY 2015-2016)	Percentile Ranking*
PCE	Pharmacotherapy Management of COPD Exacerbation Bronchodilator	82.6%	84.8%	86.5%	1.7	75 th
SPR	Use of Spirometry Testing in the Assessment and Diagnosis of COPD	NR	NA	14.9%	NA	<25 th
Women's Health						
BCS	Breast Cancer Screening - Total	57.7%	58.1%	59.3%	1.2	50 th
CCS	Cervical Cancer Screening	61.8%	57.6%	59.3%	1.7	50 th
CHL	Chlamydia Screening in Women-Total	61.4%	61.7%	62.9%	8.2	50 th
PPC-PST	Prenatal and Postpartum Care - Postpartum Care	57.0%	55.2%	56.2%	1.0	<25 th
PPC-Pre	Prenatal and Postpartum Care - Timeliness of Prenatal Care	82.2%	74.2%	75.1%	0.9	<25 th
Musculoskeletal Health						
LBP	Use of Imaging Studies for Low Back Pain	79.7%	78.0%	74.6%	-3.4	75 th
Behavioral Health						
AMM	Antidepressant Medication Management - Acute Phase	49.1%	58.9%	56.7%	-2.2	50 th

*Percentile Ranking from NCQA Quality Compass
 NR – Not reportable
 NQ – Not required to report
 NA – Not available

**HEDIS Trends in Medi-Cal
(HEDIS 2015-2017 MY)**

Acronym	HEDIS Measures	HEDIS 2015 (CY 2014)	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	Rate Difference (CY 2015-2016)	Percentile Ranking*
AMM	Antidepressant Medication Management-continuation phase	32.9%	43.2%	40.2%	-3.0	50 th
Medication Management						
MPM-ACE	Annual Monitoring for Patients on Persistent Medications - ACE/ARB	86.6%	87.1%	88.2%	1.1	50 th
MPM-DIG	Annual Monitoring for Patients on Persistent Medications - Digoxin	47.4%	48.2%	49.2%	1.0	25 th
MPM-DIU	Annual Monitoring for Patients on Persistent Medications - Diuretics	85.7%	86.4%	87.7%	1.3	25 th

*Percentile Ranking from NCQA Quality Compass
 NR – Not reportable
 NQ – Not required to report
 NA – Not available