

### **HEDIS Trends in Medi-Cal** (HEDIS 2016-2018 MY)

Acronym	HEDIS Measures	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	HEDIS 2018 (CY 2017)	Rate Difference (CY 2016-2017)	
ABA	Adult BMI Assessment	90.1%	93.9%	95.8%	1.9	
CDC-HT	Comprehensive Diabetes Care – HbA1c Testing	86.0%	87.8%	86.4%	-1.4	
CDC-H8	Comprehensive Diabetes Care - HbA1c Control <8%	47.1%	48.7%	51.1%	2.4	
CDC-H9	Comprehensive Diabetes Care - Poor HbA1c Control >9% (lower rate is better)	41.6%	40.0%	35.5%	-4.5	
CDC-E	Comprehensive Diabetes Care - Eye Exams	58.0%	54.7%	63.3%	8.6	
CDC-N	Comprehensive Diabetes Care - Medical Attention for Nephropathy	94.4%	92.2%	92.7%	0.5	
CDC-BP	Comprehensive Diabetes Care - Blood Pressure Control (<140/90)	58.6%	60.0%	65.2%	5.2	

<sup>\*</sup>Percentile Ranking from NCQA Quality Compass NR - Not reportable NQ - Not required to report

NA – Not available



### **HEDIS Trends in Medi-Cal**

HEDIS Trends in Medi-Cal (HEDIS 2016-2018 MY)							
Acronym	HEDIS Measures	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	HEDIS 2018 (CY 2017)	Rate Difference (CY 2016-2017)		
Cardiovascul	ar Conditions						
СВР	Controlling High Blood Pressure - Total	68.3%	67.8%	65.0%	-2.8		
РВН	Persistence of Beta Blocker Treatment After Heart Attack	NQ	77.6%	77.7%	0.1		
Pediatric Hea	lth						
W34	Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life	71.4%	78.5%	74.7%	-3.8		
WCC-BMI	Weight Assessment & Counseling for Nutrition& Physical for Children and Adolescents (BMI)	78.9%	78.2%	78.9%	0.7		
WCCN	Weight Assessment & Counseling for Nutrition& Physical for Children and Adolescents (Nutrition)	76.8%	77.7%	83.6%	5.9		

<sup>\*</sup>Percentile Ranking from NCQA Quality Compass NR – Not reportable NQ – Not required to report

NA – Not available



### **HEDIS Trends in Medi-Cal** (HEDIS 2016-2018 MY)

(HEDIS 2016-2018 MY)							
Acronym	HEDIS Measures	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	HEDIS 2018 (CY 2017)	Rate Difference (CY 2016-2017)		
WCC-PA	Weight Assessment & Counseling for Nutrition& Physical for Children and Adolescents (Physical Activity)	68.5%	68.0%	75.4%	7.4		
CIS-3	Childhood Immunization Status - Combo 3	73.6%	71.5%	70.6%	-0.9		
IMA-1	Immunizations for Adolescents – Combo 1	74.6%	75.1	80.5%	5.4		
IMA-2	Immunizations for Adolescents – Combo 2	NA	28.3%	39.7%	11.4		
ADD	Follow-Up for Children Prescribed ADHD Medication- initiation	31.1%	32.8%	35.7%	2.9		
ADD	Follow-Up for Children Prescribed ADHD Medication -	36.4%	38.0%	41.9%	3.9		

\*Percentile Ranking from NCQA Quality Compass NR – Not reportable NQ – Not required to report

NA – Not available



# **HEDIS Trends in Medi-Cal**

(HEDIS 2016-2018 MY)							
Acronym	HEDIS Measures	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	HEDIS 2018 (CY 2017)	Rate Difference (CY 2016-2017)		
	Continuation and Maintenance						
Respiratory (							
CWP	Appropriate Testing for Children with Pharyngitis	25.0%	27.5%	29.0%	1.5		
URI	Appropriate Treatment for Children with Upper Respiratory Infections	87.8%	88.6%	88.8%	0.2		
AAB	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	29.7%	31.5%	33.6%	2.1		
MMA-75	Medication Management for People with Asthma-75% Compliance Total	32.6%	33.5%	54.3%	20.8		
PCE	Pharmacotherapy Management of COPD Exacerbation	62.0%	66.3%	59.2%	-7.1		

\*Percentile Ranking from NCQA Quality Compass NR – Not reportable NQ – Not required to report NA – Not available



## **HEDIS Trends in Medi-Cal**

	(HEDIS 2016-2018 MY)							
Acronym	HEDIS Measures	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	HEDIS 2018 (CY 2017)	Rate Difference (CY 2016-2017)			
	Systemic Corticosteroid							
PCE	Pharmacotherapy Management of COPD Exacerbation Bronchodilator	84.8%	86.5%	77.2%	-9.3			
SPR	Use of Spirometry Testing in the Assessment and Diagnosis of COPD	NA	14.9%	15.4%	0.5			
Women's He	alth							
BCS	Breast Cancer Screening - Total	58.1%	59.3%	59.5%	0.2			
CCS	Cervical Cancer Screening	57.6%	59.3%	60.6%	1.3			
CHL	Chlamydia Screening in Women-Total	61.7%	62.9%	64.7%	1.8			
PPC-PST	Prenatal and Postpartum Care - Postpartum Care	55.2%	56.2%	56.5%	0.3			

<sup>\*</sup>Percentile Ranking from NCQA Quality Compass NR – Not reportable NQ – Not required to report

NA – Not available



#### **HEDIS Trends in Medi-Cal** (HFDIS 2016-2018 MV)

(HEDIS 2016-2018 MY)						
Acronym	HEDIS Measures	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	HEDIS 2018 (CY 2017)	Rate Difference (CY 2016-2017)	
PPC-Pre	Prenatal and Postpartum Care - Timeliness of Prenatal Care	74.2%	75.1%	82.2%	7.1	
Musculoskele	tal Health					
LBP	Use of Imaging Studies for Low Back Pain	78.0%	74.6%	72.4%	-2.2	
Behavioral H	ealth					
AMM	Antidepressant Medication Management - Acute Phase	58.9%	56.7%	64.7%	8.0	
AMM	Antidepressant Medication Management- continuation phase	43.2%	40.2%	46.1%	5.9	
Medication Management						
MPM-ACE	Annual Monitoring for Patients on Persistent Medications - ACE/ARB	87.1%	88.2%	89.0%	0.8	

<sup>\*</sup>Percentile Ranking from NCQA Quality Compass NR - Not reportable NQ - Not required to report

NA – Not available



### **HEDIS Trends in Medi-Cal** (HEDIS 2016-2018 MY)

Acronym	HEDIS Measures	HEDIS 2016 (CY 2015)	HEDIS 2017 (CY 2016)	HEDIS 2018 (CY 2017)	Rate Difference (CY 2016-2017)	
MPM-DIG	Annual Monitoring for Patients on Persistent Medications - Digoxin	48.2%	49.2%	NA	NA	
MPM-DIU	Annual Monitoring for Patients on Persistent Medications - Diuretics	86.4%	87.7%	88.3%	0.6	

NA – Not available