

| HEDIS Trends in D-SNP<br>(HEDIS MY 2021-MY 2023) |  |                         |                         |                         |  |  |  |
|--|--|-------------------------|-------------------------|-------------------------|--|--|--|
| Acronyms   | Measures   | HEDIS 2022<br>(MY 2021) | HEDIS 2023<br>(MY 2022) | HEDIS 2024<br>(MY 2023) |  |  |  |
| AAB  | Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis - Total                              | 46.60%                  | 38.93%                  | 31.30%                  |  |  |  |
| AAP  | Adults Access to Preventive/Ambulatory<br>Health Services (Ages 65 and older)                          | 87.85%                  | 88.38%                  | 88.57%                  |  |  |  |
| AMM  | Antidepressant Medication Management –<br>Acute Phase  | 75.65%                  | 77.66%                  | 77.15%                  |  |  |  |
| AMM  | Antidepressant Medication Management –<br>Continuous Phase   | 57.86%                  | 54.71%                  | 57.99%                  |  |  |  |
| BCS-E  | Breast Cancer Screening  | 62.84%                  | 68.15%                  | 66.89%                  |  |  |  |
| BPD  | Blood Pressure Control (<140/90) for Patients<br>With Diabetes   | 64.09%                  | 73.96%                  | 76.01%                  |  |  |  |
| СВР  | Controlling High Blood Pressure  | 61.81%                  | 70.92%                  | 74.71%                  |  |  |  |
| COL-E  | Colorectal Cancer Screening  | N/A                     | 60.12%                  | 62.78%                  |  |  |  |
| DDE  | Potentially Harmful Drug-Disease Interactions in the Elderly – Total (lower rate is better)            | 34.68%                  | 34.13%                  | 36.12%                  |  |  |  |
| EED  | Eye Exam for Patients With Diabetes  | 68.83%                  | 78.91%                  | 74.12%                  |  |  |  |
| FUA  | Follow-up After Emergency Department Visit for Alcohol and other Drug Abuse or Dependence – 7-day rate | 9.38%                   | 26.76%                  | 23.53%                  |  |  |  |
| FUH  | Follow-Up after Hospitalization for Mental Illness –within 30-days                                     | 63.43%                  | 58.33%                  | 61.11%                  |  |  |  |
| FUH  | Follow-Up after Hospitalization for Mental Illness -within 7-days                                      | 36.57%                  | 34.62%                  | 46.03%                  |  |  |  |
| FUM  | Follow-up After Emergency Department Visit for Mental Illness – 30-day rate                            | 52.00%                  | 43.75%                  | 48.84%                  |  |  |  |
| FUM  | Follow-up After Emergency Department Visit for Mental Illness - 7-day rate                             | 41.33%                  | 31.25%                  | 38.37%                  |  |  |  |



| HEDIS Trends in D-SNP<br>(HEDIS MY 2021-MY 2023) |   |                         |                         |                         |  |  |  |
|--|---|-------------------------|-------------------------|-------------------------|--|--|--|
| Acronyms   | Measures  | HEDIS 2022<br>(MY 2021) | HEDIS 2023<br>(MY 2022) | HEDIS 2024<br>(MY 2023) |  |  |  |
| HBD  | Hemoglobin A1c Control for Patients With Diabetes — HbA1c Control (<8%)                     | 63.84%                  | 66.15%                  | 62.80%                  |  |  |  |
| HBD  | Comprehensive Diabetes Care - Poor HbA1c<br>Control >9% (lower rates is better)             | 24.94%                  | 23.44%                  | 26.68%                  |  |  |  |
| HDO  | Use of Opioids at High Dosage (lower rates is better)                                       | 3.14%                   | 3.24%                   | 1.84%                   |  |  |  |
| IET  | Initiation and Engagement of Alcohol and<br>Other Drug Dependence Treatment -<br>Engagement | 6.68%                   | 8.49%                   | 7.57%                   |  |  |  |
| IET  | Initiation and Engagement of Alcohol and Other Drug Dependence Treatment – Initiation       | 55.26%                  | 50.84%                  | 50.91%                  |  |  |  |
| KED  | Kidney Health Evaluation for Patients With Diabetes   | N/A                     | 64.26%                  | 65.36%                  |  |  |  |
| OMW  | Osteoporosis Management in Women Who<br>Had a Fracture                                      | 39.34%                  | 56.25%                  | 44.64%                  |  |  |  |
| OSW  | Osteoporosis Screening in Older Women   | 37.42%                  | 44.41%                  | 48.39%                  |  |  |  |
| PCE  | Pharmacotherapy Management of COPD<br>Exacerbation- Bronchodilators                         | 92.14%                  | 89.60%                  | 83.80%                  |  |  |  |
| PCE  | Pharmacotherapy Management of COPD<br>Exacerbation -Systemic Corticosteroid                 | 71.43%                  | 79.20%                  | 68.31%                  |  |  |  |
| PSA  | Non-Recommended PSA-Based Screening in Older Men (lower rates is better)                    | 34.33%                  | 36.40%                  | 33.09%                  |  |  |  |
| SMD  | Diabetes Monitoring for People With Diabetes and Schizophrenia                              | 78.10%                  | 71.88%                  | 81.44%                  |  |  |  |
| SPC  | Statin Therapy for Patients with<br>Cardiovascular Disease - Therapy                        | 80.28%                  | 82.55%                  | 85.76%                  |  |  |  |
| SPC  | Statin Therapy for Patients with<br>Cardiovascular Disease – Adherence                      | 76.29%                  | 75.43%                  | 84.84%                  |  |  |  |
| SPD  | Statin Therapy for Patients with Diabetes -<br>Therapy                                      | 82.10%                  | 82.14%                  | 82.51%                  |  |  |  |



| HEDIS Trends in D-SNP<br>(HEDIS MY 2021-MY 2023) |   |                         |                         |                         |  |  |
|--|---|-------------------------|-------------------------|-------------------------|--|--|
| Acronyms   | Measures  | HEDIS 2022<br>(MY 2021) | HEDIS 2023<br>(MY 2022) | HEDIS 2024<br>(MY 2023) |  |  |
| SPD  | Statin Therapy for Patients with Diabetes – Adherence   | 74.25%                  | 74.75%                  | 82.35%                  |  |  |
| SSD  | Diabetes Screening for People With<br>Schizophrenia or Bipolar Disorder Who Are<br>Using Antipsychotic Medications        | 74.95%                  | 78.23%                  | 85.86%                  |  |  |
| TRC  | Transitions of Care - Receipt of Discharge information:   | 3.89%                   | 6.81%                   | 3.16%                   |  |  |
| TRC  | Transitions of Care - Patient engagement after inpatient discharge  | 81.27%                  | 69.34%                  | 75.67%                  |  |  |
| TRC  | Transitions of Care - Notification of Inpatient Admission   | 5.11%                   | 10.71%                  | 3.89%                   |  |  |
| TRC  | Transitions of Care - Medication reconciliation post discharge  | 39.42%                  | 42.34%                  | 32.12%                  |  |  |
| UOP  | Use of Opioids from Multiple Providers -<br>Multiple Prescribers and Multiple Pharmacies<br>Rates (lower rates is better) | 0.88%                   | 0.65%                   | 1.04%                   |  |  |